

## The Role of Antioxidants in Improving Pregnancy Outcomes

\*Emmanuel Ifeanyi Obeagu<sup>1</sup>, Getrude Uzoma Obeagu<sup>2</sup>, Okechukwu Paul-Chima Ugwu<sup>3</sup>, Esther U. Alum<sup>3,4</sup> and Jean Bosco Habimana<sup>5</sup>

<sup>1</sup>Department of Medical Laboratory Science, Kampala International University, Uganda.

<sup>2</sup>School of Nursing Science, Kampala International University, Uganda.

<sup>3</sup>Department of Publication and Extensions, Kampala International University, Uganda.

<sup>4</sup>Department of Biochemistry, Ebonyi State University, Abakaliki, Ebonyi State, Nigeria.

<sup>5</sup>Department of Medical Laboratory Science, Mbarara University of Science and Technology, Uganda.

\*Corresponding author: Emmanuel Ifeanyi Obeagu, Department of Medical Laboratory Science, Kampala International University, Uganda. [emmanuelobeagu@yahoo.com](mailto:emmanuelobeagu@yahoo.com), [obeagu.emmanuel@kiu.ac.ug](mailto:obeagu.emmanuel@kiu.ac.ug) 0000-0002-4538-0161

### ABSTRACT

Pregnancy is a physiologically demanding phase marked by profound changes that elevate oxidative stress levels, posing potential risks to maternal and fetal health. Oxidative stress, resulting from an imbalance between reactive oxygen species (ROS) production and antioxidant defense mechanisms, has been implicated in various pregnancy complications. Antioxidants, renowned for their ability to counteract ROS and mitigate cellular damage, have emerged as a potential intervention to ameliorate adverse outcomes during pregnancy. The paper highlights the physiological changes in pregnancy that contribute to heightened oxidative stress, emphasizing the link between oxidative stress and complications such as pre-eclampsia, gestational diabetes, preterm birth, and intrauterine growth restriction. This paper emphasizes the imperative for robust, well-designed clinical trials to elucidate the optimal timing, dosages, and formulations of antioxidants in pregnancy. It calls for a comprehensive approach to establish clear guidelines and recommendations for antioxidant supplementation. In conclusion, this review underscores the potential of antioxidants as a promising intervention to mitigate oxidative stress-related pregnancy complications. However, the inconclusive nature of current evidence necessitates further rigorous research endeavors. Through this exploration, it accentuates the urgency for standardized protocols, ethical considerations, and extensive clinical studies to unlock the full potential of antioxidants in improving maternal and fetal health outcomes during pregnancy.

**Keywords:** Antioxidants, Pregnancy, Maternal Health, Fetal Health, Oxidative Stress, Reactive Oxygen Species (ROS), Preeclampsia, Gestational Diabetes, Fetal Development

### INTRODUCTION

Pregnancy represents a remarkable physiological journey characterized by dynamic changes within the maternal body to nurture and sustain the developing fetus. However, this transformative process introduces heightened oxidative stress due to an imbalance between the production of reactive oxygen species (ROS) and the body's antioxidant defense mechanisms. Oxidative stress during pregnancy has emerged as a significant factor contributing to various complications that can impact both maternal health and fetal development [1-10]. The intricate dance between oxidative stress and pregnancy outcomes has drawn substantial attention in recent years, prompting exploration into interventions that might mitigate its detrimental effects. Antioxidants, renowned for their ability to neutralize ROS and preserve cellular integrity, stand as a potential

therapeutic avenue to enhance pregnancy outcomes [11-20]. This paper aims to elucidate the multifaceted relationship between oxidative stress and pregnancy complications while exploring the role of antioxidants in ameliorating adverse outcomes. It delves into the underlying mechanisms driving oxidative stress during pregnancy, the potential pathways by which antioxidants confer protective effects, and the current understanding derived from clinical studies regarding their impact on maternal-fetal health. The physiological changes inherent in pregnancy, such as increased metabolic demands, altered hormonal profiles, and placental development, significantly contribute to oxidative stress. Consequently, heightened oxidative stress has been linked to pregnancy complications including pre-eclampsia, gestational diabetes, preterm birth, and

intrauterine growth restriction. Understanding these mechanisms is pivotal in elucidating the potential benefits of antioxidants in mitigating these complications [21-30]. Antioxidants, ranging from vitamins C and E to minerals and polyphenols, possess the ability to scavenge ROS and modulate oxidative stress. The paper explores how these compounds may intervene in oxidative damage, protect against inflammatory responses, improve placental function, and potentially enhance fetal development. Therefore, this paper seeks to critically examine the existing evidence, highlighting both the potential and limitations of antioxidant supplementation during pregnancy. It underscores

### Oxidative Stress in Pregnancy

Pregnancy is a complex physiological state characterized by dynamic changes and increased metabolic demands to support fetal growth and development. These alterations, while essential for the progression of pregnancy, contribute significantly to the generation of reactive oxygen species (ROS) and subsequent oxidative stress within the maternal-fetal unit [31-40]. The increased oxygen consumption and energy demands during pregnancy heighten the production of ROS as byproducts of cellular metabolism. The placenta, crucial for fetal development, is a site of high metabolic activity and oxygen exchange, making it susceptible to oxidative damage. Changes in hormone levels, particularly estrogen and progesterone, contribute to the generation of ROS [41-46]. Reactive Oxygen Species (ROS) including superoxide radicals, hydrogen peroxide, and hydroxyl radicals, are essential signaling molecules at physiological levels but become detrimental in excess. The body employs a complex antioxidant defense system, comprising enzymatic (e.g., superoxide dismutase, catalase, glutathione peroxidase) and non-enzymatic antioxidants (e.g., vitamins C and E, glutathione), to

### Role of Antioxidants in Pregnancy

Antioxidants, encompassing a spectrum of compounds including vitamins, minerals, polyphenols, and other micronutrients, play a pivotal role in mitigating the detrimental effects of oxidative stress during pregnancy. Their ability to neutralize reactive oxygen species (ROS) and restore redox balance offers potential benefits in safeguarding maternal health and promoting optimal fetal development [72-74]. Antioxidants function by neutralizing ROS, preventing oxidative damage to cellular components including lipids, proteins, and DNA. By augmenting the body's endogenous antioxidant defense mechanisms, antioxidants help restore the delicate balance between ROS production and scavenging [75]. Antioxidants have been suggested to reduce the risk of pre-eclampsia by counteracting oxidative stress-induced endothelial dysfunction, thereby promoting vascular health and

the necessity for rigorous clinical trials, standardized protocols, and comprehensive research endeavors to ascertain the optimal use of antioxidants in enhancing maternal and fetal health during this critical period. Understanding the intricate relationship between oxidative stress and pregnancy complications offers a compelling avenue for exploring the therapeutic potential of antioxidants. By elucidating the mechanisms and challenges surrounding antioxidant interventions in pregnancy, this review aims to contribute to the quest for strategies that optimize maternal-fetal well-being and improve pregnancy outcomes.

neutralize ROS and maintain redox balance [47-52]. Elevated oxidative stress has been implicated in the pathogenesis of pre-eclampsia, characterized by hypertension and proteinuria, which poses risks to both maternal and fetal health [53-57]. Oxidative stress plays a role in insulin resistance and impaired glucose metabolism seen in gestational diabetes. Heightened oxidative stress has been associated with preterm birth and fetal growth restriction due to its impact on placental function and fetal development [58-63]. The placenta, vital for fetal nourishment and oxygenation, is susceptible to oxidative stress due to its exposure to high oxygen levels and vulnerability to ROS-mediated damage. Oxidative stress in the placenta can impair nutrient transfer, compromise blood flow, and disrupt the balance of pro-inflammatory and anti-inflammatory mediators, potentially impacting fetal growth and development [64-71]. Maternal lifestyle choices, such as smoking, alcohol consumption, poor diet, and exposure to environmental toxins, can exacerbate oxidative stress during pregnancy, amplifying the risks of complications.

normalizing blood pressure. Antioxidants exhibit potential in improving insulin sensitivity, reducing inflammation, and managing glucose metabolism in gestational diabetes, potentially mitigating its complications [76]. Antioxidants may improve placental function by mitigating oxidative damage, supporting proper blood flow, and optimizing nutrient and oxygen transport to the fetus. Antioxidants, by mitigating oxidative stress in the placenta and fetal tissues, may positively influence fetal growth, organ development, and overall intrauterine environment [75]. Antioxidants possess anti-inflammatory properties, potentially modulating inflammatory responses associated with elevated oxidative stress during pregnancy. This modulation may contribute to reducing the risk of complications linked to inflammation. Some antioxidants, particularly certain vitamins and polyphenols, are

hypothesized to support neurodevelopment in the fetus, potentially reducing the risk of neurodevelopmental disorders [76]. Antioxidant supplementation during pregnancy involves various compounds, including vitamins C and E, selenium, zinc, and polyphenols sourced from fruits, vegetables, and dietary supplements. However, the optimal dosages, formulations, and specific antioxidants remain subjects of ongoing research and debate, requiring further elucidation [75]. The complexity of

antioxidant interactions, potential interactions with other supplements or medications, and the delicate balance required for optimal antioxidant levels necessitate careful consideration in supplementation strategies. The inconclusiveness of current evidence from clinical studies regarding the efficacy of antioxidant supplementation in improving pregnancy outcomes underscores the need for further research to establish clear guidelines and recommendations.

### Challenges and Future Directions

The utilization of antioxidants as a potential intervention to ameliorate oxidative stress-related complications in pregnancy faces several challenges and necessitates focused future directions to enhance understanding and clinical implementation. Addressing these challenges is crucial for advancing research and establishing effective strategies for optimizing maternal and fetal health outcomes [75]. Variability in study populations, including geographical locations, ethnicities, and socioeconomic backgrounds, introduces complexities in interpreting outcomes uniformly. Pregnancy involves multifaceted interactions between genetics, lifestyle factors, maternal health conditions, and environmental influences, making it challenging to isolate the specific effects of antioxidants. Lack of standardized protocols for antioxidant supplementation, including variations in dosages, formulations, and timing, impedes direct comparisons and consistency across studies. Identifying the critical windows for antioxidant administration during pregnancy to achieve optimal benefits remains a challenge [75]. Ethical considerations regarding the safety and potential risks of antioxidant supplementation, particularly at higher doses or certain formulations, need comprehensive evaluation, especially during critical periods of fetal development. Antioxidant supplements may interact with other medications or nutrients, raising concerns about safety and the potential for adverse outcomes. Conducting well-designed, large-scale randomized controlled trials with meticulous attention to study design, standardization, and long-term follow-up is

imperative to establish clear evidence regarding the benefits and risks of antioxidant use during pregnancy. Long-term longitudinal studies tracking maternal and offspring health outcomes following antioxidant supplementation in pregnancy are crucial for assessing both immediate and long-lasting effects. Bridging the gap between research findings and clinical practice requires the development of evidence-based guidelines and recommendations on the appropriate use of antioxidants in pregnancy. Educating healthcare providers and expectant mothers about the benefits, potential risks, and uncertainties regarding antioxidant supplementation is essential for informed decision-making. Exploring novel antioxidants, formulations, or combinations that exhibit enhanced bioavailability, effectiveness, and safety profiles for pregnancy-related oxidative stress management is a promising avenue. Investigating personalized approaches considering individual variations in oxidative stress levels and antioxidant requirements during pregnancy may provide tailored interventions. Addressing these challenges demands a collaborative effort involving researchers, healthcare professionals, policymakers, and regulatory bodies. This collective endeavor should prioritize rigorous research methodologies, ethical considerations, and the translation of findings into actionable guidelines to optimize the use of antioxidants in pregnancy. Embracing innovation and personalized approaches while navigating safety considerations is pivotal in harnessing the potential benefits of antioxidants to improve maternal and fetal health outcomes.

### RECOMMENDATIONS

Initiate large-scale, well-designed randomized controlled trials (RCTs) to evaluate the safety, efficacy, optimal dosages, and formulations of antioxidants in diverse populations of pregnant women. Standardize protocols, including timing and duration of supplementation, to facilitate meaningful comparisons and generate robust evidence. Undertake longitudinal studies to assess both short-term and long-term maternal and offspring outcomes following antioxidant supplementation during pregnancy. Implement comprehensive follow-up assessments to evaluate the potential effects of antioxidants on the health and development of the

offspring into childhood and beyond. Develop evidence-based guidelines and recommendations for the use of antioxidants during pregnancy based on the findings from well-conducted clinical trials and observational studies. Disseminate these guidelines to healthcare professionals and educate expectant mothers to ensure informed decision-making regarding antioxidant supplementation. Encourage collaborative efforts among researchers, healthcare providers, academic institutions, and governmental agencies to foster multi-center studies and data sharing for a more comprehensive understanding of antioxidant effects in pregnancy. Prioritize ethical

considerations in conducting trials, ensuring stringent safety monitoring, especially when exploring higher doses or novel antioxidant formulations. Evaluate potential interactions between antioxidants and medications to ensure maternal and fetal safety. Implement public health initiatives to raise awareness among healthcare professionals and pregnant women about the potential benefits and uncertainties regarding antioxidant supplementation during pregnancy. Provide evidence-based education on diet, lifestyle modifications, and the importance of a balanced antioxidant-rich diet for maternal and fetal health. Investigate novel antioxidants, delivery systems, or combinations that exhibit improved bioavailability, efficacy, and safety profiles for pregnancy-related oxidative stress management.

### CONCLUSION

The utilization of antioxidants as a potential intervention to alleviate oxidative stress-related complications during pregnancy offers a promising avenue to improve maternal and fetal health outcomes. However, while the theoretical benefits of antioxidants in mitigating oxidative stress are compelling, the translation of these advantages into clinical practice remains complex and inconclusive. The intricate interplay between oxidative stress and pregnancy complications underscores the significance of further research, robust clinical trials, and comprehensive longitudinal studies. These endeavors are essential to ascertain the safety, efficacy, optimal dosages, and formulations of antioxidants in diverse populations of pregnant women. The future trajectory involves enhancing research collaborations, implementing public health initiatives, and exploring innovative approaches.

Explore personalized medicine approaches to tailor antioxidant supplementation based on individualized needs, considering variations in oxidative stress levels among pregnant women. Continuously evaluate and update guidelines and recommendations based on emerging evidence from ongoing research and clinical trials to ensure relevance and accuracy. By implementing these recommendations, stakeholders can collaboratively advance research, clinical practice, and public health initiatives related to antioxidant supplementation in pregnancy. This approach will help optimize maternal and fetal health outcomes and facilitate evidence-based decision-making regarding antioxidant use during this critical period.

Longitudinal studies tracking maternal and offspring outcomes, coupled with continuous evaluation and updating of guidelines, are necessary for informed decision-making and the development of personalized approaches in antioxidant utilization. While antioxidants hold promise in mitigating oxidative stress-related complications during pregnancy, there exists a crucial need for conclusive evidence to guide their optimal use. Addressing challenges, fostering collaborations, and advancing research endeavors are imperative to harness the full potential of antioxidants in optimizing maternal and fetal health outcomes. Through these collective efforts, the journey towards establishing evidence-based recommendations for antioxidant supplementation in pregnancy will undoubtedly contribute to improving the health and well-being of both mothers and their offspring.

### REFERENCES

1. Ifeanyi OE. A review on free radicals and antioxidants. *Int. J. Curr. Res. Med. Sci.* 2018;4(2):123-33.
2. Obeagu EI, Obeagu GU, Obiezu J, Ezeonwumelu C, Alum EU, Ugwu OP. Antioxidants and Pregnancy: Impact on Maternal and Fetal Health. *APPLIED SCIENCES (NIJBAS)*. 2023;4(1).
3. Obeagu EI, Bunu UO, Obeagu GU, Habimana JB. Antioxidants in the management of sickle cell anaemia: an area to be exploited for the wellbeing of the patients. *International Research in Medical and Health Sciences*. 2023;6(4):12-7.
4. Obeagu EI, Ubosi NI, Uzoma G. Antioxidant Supplementation in Pregnancy: Effects on Maternal and Infant Health. *Int. J. Adv. Multidiscip. Res.* 2023;10(11):60-70.
5. Obeagu EI, Obeagu GU. Utilization of Antioxidants in the management of diabetes mellitus patients. *J Diabetes Clin Prac.* 2018;1(102):2.
6. Obeagu EI, Agreen FC. Anaemia among pregnant women: A review of African pregnant teenagers. *J Pub Health Nutri.* 2023; 6 (1). 2023;138. [links/63da799664fc860638054562/Anaemia-among-pregnant-women-A-review-of-African-pregnant-teenagers.pdf](https://doi.org/10.3390/10.3390/63da799664fc860638054562/Anaemia-among-pregnant-women-A-review-of-African-pregnant-teenagers.pdf).
7. Obeagu EI, Ezimah AC, Obeagu GU. Erythropoietin in the anaemias of pregnancy: a review. *Int J Curr Res Chem Pharm Sci.* 2016;3(3):10-8. [links/5710fae108ae846f4ef05afb/ERYTHROPOIETIN-IN-THE-ANAEMIAS-OF-PREGNANCY-A-REVIEW.pdf](https://doi.org/10.3390/10.3390/5710fae108ae846f4ef05afb/ERYTHROPOIETIN-IN-THE-ANAEMIAS-OF-PREGNANCY-A-REVIEW.pdf).
8. Obeagu EI, Adepoju OJ, Okafor CJ, Obeagu GU, Ibekwe AM, Okpala PU, Agu CC. Assessment of Haematological Changes in Pregnant Women of Ido, Ondo State, Nigeria. *J Res Med Dent Sci.* 2021 Apr;9(4):145-8. [links/608a6728a6fdccaebdf52d94/Assessm](https://doi.org/10.3390/10.3390/608a6728a6fdccaebdf52d94/Assessm)



- [ent-of-Haematological-Changes-in-Pregnant-Women-of-Ido-Ondo.pdf](#).
9. Obeagu EI, Obeagu GU. Sick Cell Anaemia in Pregnancy: A Review. *International Research in Medical and Health Sciences*. 2023;6(2):10-3. <http://irmhs.com/index.php/irmhs/article/view/111>.
  10. Jakheng SP, Obeagu EI. Seroprevalence of human immunodeficiency virus based on demographic and risk factors among pregnant women attending clinics in Zaria Metropolis, Nigeria. *J Pub Health Nutri*. 2022; 5 (8). 2022;137. <links/6317a6b1acd814437f0ad268/Seroprevalence-of-human-immunodeficiency-virus-based-on-demographic-and-risk-factors-among-pregnant-women-attending-clinics-in-Zaria-Metropolis-Nigeria.pdf>.
  11. Nwosu DC, Obeagu EI, Nkwocha BC, Nwanna CA, Nwanjo HU, Amadike JN, Elendu HN, Ofoedeme CN, Ozims SJ, Nwankpa P. Change in Lipid Peroxidation Marker (MDA) and Non enzymatic Antioxidants (VIT C & E) in HIV Seropositive Children in an Urban Community of Abia State. Nigeria. *J. Bio. Innov*. 2016;5(1):24-30.
  12. Nwosu DC, Obeagu EI, Ezenwuba C, Agu GC, Amah H, Ozims SJ, Nwanjo HU, Edward A, Izuchukwu IF, Amadike JN, Nwagwu AJ. Antioxidant status of children with Plasmodium falciparum malaria in Owerri municipal council of Imo state. *Int. J. Curr. Res. Chem. Pharm. Sci*. 2016;3(8):40-6.
  13. Ezimah UA, Obeagu EI, Ezimah CO, Ezimah A, Nto NJ. Diarrhoeal diseases of acquired immunodeficiency syndrome stimulate more depletion of total antioxidant status. *Int. J. Adv. Multidiscip. Res*. 2016;3(4):23-5.
  14. Aloh GS, Obeagu EI, Okoroiwu IL, Odo CE, Chibunna OM, Kanu SN, Elemchukwu Q, Okpara KE, Ugwu GU. Antioxidant-Mediated Heinz Bodies Levels of Sick Erythrocytes under Drug-Induced Oxidative Stress. *European Journal of Biomedical and Pharmaceutical sciences*. 2015;2(1):502-7.
  15. Alum EU, Aja W, Ugwu OP, Obeagu EI, Okon MB. Assessment of vitamin composition of ethanol leaf and seed extracts of datura stramonium. *Avicenna J Med Biochem*. 2023;11(1):92-7.
  16. Alum EU, Inya JE, Ugwu OP, Obeagu EI, Alope C, Aja PM, Okpata MG, John EC, Orji MO, Onyema O. Ethanolic leaf extract of Datura stramonium attenuates methotrexate-induced biochemical alterations in Wistar Albino rats. *RPS Pharmacy and Pharmacology Reports*. 2023;2(1):rqac011.
  17. Nwakulite A, Nwanjo HU, Nwosu DC, Obeagu EI. EVALUATION OF ENZYME ANTIOXIDANTS IN STREPTOZOCIN INDUCED DIABETIC RATS TREATED WITH MORINGA OLEIFERA LEAF POWDER. *European Journal of Biomedical*. 2020;7(11):285-8.
  18. Akinpelu M, Gamade SM, Akinbo F, Adeniyi TD, Elizebeth AF, Obeagu EI. Histopathological and Biochemical Effect of Vitamin C and D on Phosphine-Induced Hepatotoxicity in Wistar Rats. *Asian Journal of Dental and Health Sciences*. 2023;3(2):18-22.
  19. Nwakulite A, Obeagu EI, Eze R, Ugochi VE, Vincent CC, Okafor CJ, Chukwurah EF, Unaeze BC, Amaechi CO, Okwuanaso CB, Chukwuani U. Estimation of Serum Glutathione Peroxidase in Streptozotocin Induced Diabetic Rat Treated with Bitter Leaf Extract. *Journal of Pharmaceutical Research International*. 2021;33(30B):200-6.
  20. Ifeanyi OE, Stella EI, Favour AA. Antioxidants In the Management of Sick Cell Anaemia. *Int J Hematol Blood Disord (Internet)* 2018 (cited 2021 Mar 4); 3. Available from: <https://symbiosisonlinepublishing.com/hematology/hematology25.php>. 2018 S.
  21. Obeagu EI, Obeagu GU, Chukwueze CM, Ikpenwa JN, Ramos GF. Evaluation of Protein C, Protein S and Fibrinogen of Pregnant Women with Malaria in Owerri Metropolis. *Madonna University journal of Medicine and Health Sciences*. 2022 ;2(2):1-9.
  22. Obeagu EI, Ikpenwa JN, Chukwueze CM, Obeagu GU. Evaluation of protein C, protein S and fibrinogen of pregnant women in Owerri Metropolis. *Madonna University Journal of Medicine and Health Sciences*. 2022;2(1):292-8. <https://madonnauniversity.edu.ng/journals/index.php/medicine/article/view/57>.
  23. Obeagu EI, Obeagu GU, Adepoju OJ. Evaluation of haematological parameters of pregnant women based on age groups in Olorunsogo road area of Ido, Ondo state. *J. Bio. Innov*11 (3). 2022:936-41.
  24. Obeagu EI. An update on utilization of antenatal care among pregnant Women in Nigeria. *Int. J. Curr. Res. Chem. Pharm. Sci*.

- 2022;9(9): 21-6.DOI: [10.22192/ijcrmps.2022.09.09.003](https://doi.org/10.22192/ijcrmps.2022.09.09.003)
25. Okoroiwu IL, Obeagu EI, Obeagu GU. Determination of clot retraction in pregnant women attending antenatal clinic in federal medical centre Owerri, Nigeria. *Madonna University Journal of Medicine and Health Sciences*. 2022;2(2):91-7. <https://madonnauniversity.edu.ng/journals/index.php/medicine/article/view/67>.
  26. Obeagu EI, Hassan AO, Adepoju OJ, Obeagu GU, Okafor CJ. Evaluation of Changes in Haematological Parameters of Pregnant Women Based on Gestational Age at Olorunsogo Road Area of Ido, Ondo State, Nigeria. *Journal of Research in Medical and Dental Science*. 2021;9(12):462-471. [links/61b1e32f0c4bfb675178bfa7/Evaluation-of-Changes-in-Haematological-Parameters-of-Pregnant-Women-Based-on-Gestational-Age-at-Olorunsogo-Road-Area-of-Ido-Ondo-State-Nigeria.pdf](https://doi.org/10.22192/ijcrmps.2021.09.12.003).
  27. Anyiam AF, Obeagu EI, Obi E, Omosigho PO, Ironde EA, Arinze-Anyiam OC, Asiyah MK. ABO blood groups and gestational diabetes among pregnant women attending University of Ilorin Teaching Hospital, Kwara State, Nigeria. *International Journal of Research and Reports in Hematology*. 2022;5(2):113-21.
  28. Obeagu EI. Gestational Thrombocytopenia. *J Gynecol Women's Health*. 2023;25(3):556-163. [links/64b01aa88de7ed28ba95fcb/Gestational-Thrombocytopenia.pdf](https://doi.org/10.22192/ijcrmps.2023.25.03.003).
  29. Jakheng SP, Obeagu EI, Abdullahi IO, Jakheng EW, Chukwueze CM, Eze GC, Essien UC, Madekwe CC, Madekwe CC, Vidya S, Kumar S. Distribution Rate of Chlamydial Infection According to Demographic Factors among Pregnant Women Attending Clinics in Zaria Metropolis, Kaduna State, Nigeria. *South Asian Journal of Research in Microbiology*. 2022;13(2):26-31.
  30. Obeagu EI, Ogbonna US, Nwachukwu AC, Ochiabuto O, Enweani IB, Ezeoru VC. Prevalence of Malaria with Anaemia and HIV status in women of reproductive age in Onitsha, Nigeria. *Journal of Pharmaceutical Research International*. 2021;33(4):10-9.
  31. Obeagu EI, Abdirahman BF, Bunu UO, Obeagu GU. Obstetrics characteristics that effect the newborn outcomes. *Int. J. Adv. Res. Biol. Sci*. 2023;10(3): 134-43.DOI: [10.22192/ijarbs.2023.10.03.016](https://doi.org/10.22192/ijarbs.2023.10.03.016)
  32. Obeagu EI, Ogunnaya FU. PREGNANCYINDUCED HAEMATOLOGICAL CHANGES: A KEY TO MATERNAL AND CHILD HEALTH. *European Journal of Biomedical*. 2023;10(8):42-3. [links/64c890bddd938b20d6dad2c5c/PREGNANCY-INDUCED-HAEMATOLOGICAL-CHANGES-A-KEY-TO-MATERNAL-AND-CHILD-HEALTH.pdf](https://doi.org/10.22192/ijcrmps.2023.10.08.002).
  33. Ezeoru VC, Enweani IB, Ochiabuto O, Nwachukwu AC, Ogbonna US, Obeagu EI. Prevalence of Malaria with Anaemia and HIV status in women of reproductive age in Onitsha, Nigeria. *Journal of Pharmaceutical Research International*. 2021;33(4):10-9.
  34. Okamgba OC, Nwosu DC, Nwobodo EI, Agu GC, Ozims SJ, Obeagu EI, Ibanga IE, Obioma-Elemba IE, Ihekaire DE, Obasi CC, Amah HC. Iron Status of Pregnant and Post-Partum Women with Malaria Parasitaemia in Abia State, Nigeria. *Annals of Clinical and Laboratory Research*. 2017;5(4):206. [links/5ea97df145851592d6a8acf2/Iron-Status-of-Pregnant-and-Post-Partum-Women-with-Malaria-Parasitaemia-in-Abia-State-Nigeria.pdf](https://doi.org/10.22192/ijcrmps.2017.05.04.003).
  35. Eze RI, Obeagu EI, Edet FN. Frequency of Rh Antigen C And c among pregnant women in Sub-Urban area in Eastern Nigeria. *Madonna Uni J Med Health Sci*. 2021;1(1):19-30.
  36. Obeagu EI, Ofodile AC, Okwuanaso CB. A review of urinary tract infections in pregnant women: Risks factors. *J Pub Health Nutri*. 2023; 6 (1). 2023; 137:26-35. [links/63c3a9116fe15d6a571e8bba/A-review-of-urinary-tract-infections-in-pregnant-women-Risks-factors.pdf](https://doi.org/10.22192/ijcrmps.2023.06.01.003).
  37. Obeagu EI, Obeagu GU, Musiimenta E. Post partum haemorrhage among pregnant women: Update on risks factors. *Int. J. Curr. Res. Med. Sci*. 2023;9(2): 14-7.DOI: [10.22192/ijcrms.2023.09.02.003](https://doi.org/10.22192/ijcrms.2023.09.02.003)
  38. Obeagu EI, Obeagu GU, Ogunnaya FU. Deep vein thrombosis in pregnancy: A review of prevalence and risk factors. *Int. J. Curr. Res. Chem. Pharm. Sci*. 2023;10(8): 14-21.DOI: [10.22192/ijcrmps.2023.10.08.002](https://doi.org/10.22192/ijcrmps.2023.10.08.002)
  39. Jakheng SP, Obeagu EI, Jakheng EW, Uwakwe OS, Eze GC, Obeagu GU, Vidya S, Kumar S. Occurrence of Chlamydial Infection Based on Clinical Symptoms and Clinical History among Pregnant Women Attending Clinics in Zaria Metropolis, Kaduna State, Nigeria. *International Journal of Research and Reports in Gynaecology*. 2022;5(3):98-105.

40. Okorie HM, Obeagu EI, Eze EN, Jeremiah ZA. Assessment of some haematological parameters in malaria infected pregnant women in Imo state Nigeria. *Int. J. Curr. Res. Biol. Med.* 2018;3(9):1-4. DOI: [10.22192/ijcrbm.2018.03.09.001](https://doi.org/10.22192/ijcrbm.2018.03.09.001)
41. Al-Gubory KH, Fowler PA, Garrel C. The roles of cellular reactive oxygen species, oxidative stress and antioxidants in pregnancy outcomes. *The international journal of biochemistry & cell biology.* 2010;42(10):1634-50.
42. Onyenweaku FC, Amah HC, Obeagu EI, Nwandikor UU, Onwuasoanya UF. Prevalence of asymptomatic bacteriuria and its antibiotic susceptibility pattern in pregnant women attending private ante natal clinics in Umuahia Metropolitan. *Int J Curr Res Biol Med.* 2017;2(2): 13-23. DOI: [10.22192/ijcrbm.2017.02.02.003](https://doi.org/10.22192/ijcrbm.2017.02.02.003)
43. Okoroiwu IL, Chinedu-Madu JU, Obeagu EI, Vincent CC, Ochiabuto OM, Ibekwe AM, Amaechi CO, Agu CC, Anoh NV, Amadi NM. Evaluation of Iron Status, Haemoglobin and Protein Levels of Pregnant Women in Owerri Metropolis. *Journal of Pharmaceutical Research International.* 2021;33(27A):36-43.
44. Obeagu EI, Njar VE, Obeagu GU. Infertility: Prevalence and Consequences. *Int. J. Curr. Res. Chem. Pharm. Sci.* 2023;10(7):43-50.
45. Emeka-Obi OR, Ibeh NC, Obeagu EI, Okorie HM. Evaluation of levels of some inflammatory cytokines in preeclamptic women in owerri. *Journal of Pharmaceutical Research International.* 2021;33(42A):53-65.
46. Obeagu EI, Faduma MH, Uzoma G. Ectopic Pregnancy: A Review. *Int. J. Curr. Res. Chem. Pharm. Sci.* 2023;10(4): 40-4. DOI: [10.22192/ijcrmps.2023.10.04.004](https://doi.org/10.22192/ijcrmps.2023.10.04.004)
47. Lushchak VI. Free radicals, reactive oxygen species, oxidative stress and its classification. *Chemico-biological interactions.* 2014; 224:164-75.
48. Obeagu EI, Gamade SM, Obeagu GU. The roles of Neutrophils in pregnancy. *Int. J. Curr. Res. Med. Sci.* 2023;9(5): 31-5. DOI: [10.22192/ijcrms.2023.09.05.005](https://doi.org/10.22192/ijcrms.2023.09.05.005)
49. Eze R, Obeagu EI, Nwakulite A, Okoroiwu IL, Vincent CC, Okafor CJ, Chukwurah EF, Chijioke UO, Amaechi CO. Evaluation of Copper Status and Some Red Cell Parameters of Pregnant Women in Enugu State, South Eastern Nigeria. *Journal of Pharmaceutical Research International.* 2021;33(30A):67-71.
50. Obeagu EI, Obeagu GU. Molar Pregnancy: Update of prevalence and risk factors. *Int. J. Curr. Res. Med. Sci.* 2023;9(7): 25-8. DOI: [10.22192/ijcrms.2023.09.07.005](https://doi.org/10.22192/ijcrms.2023.09.07.005)
51. Obeagu EI, Bunu UO. Factors that influence unmet need for family planning. *International Journal of Current Research in Biology and Medicine.* 2023;8(1):23-7.
52. Ibebuike JE, Ojie CA, Nwokike GI, Obeagu EI, Nwosu DC, Nwanjo HU, Agu GC, Ezenwuba CO, Nwagu SA, Akujuobi AU. Barriers to utilization of maternal health services in southern senatorial district of Cross Rivers state, Nigeria. *International Journal of Advanced Multidisciplinary Research.* 2017;4(8): 1-9. DOI: [10.22192/ijamr.2017.04.08.001](https://doi.org/10.22192/ijamr.2017.04.08.001)
53. Aouache R, Biquard L, Vaiman D, Miralles F. Oxidative stress in preeclampsia and placental diseases. *International journal of molecular sciences.* 2018;19(5):1496.
54. Emmanuel G, Martin O, Peter OS, Obeagu EI, Daniel K. Factors Influencing Early Neonatal Adverse Outcomes among Women with HIV with Post Dated Pregnancies Delivering at Kampala International University Teaching Hospital, Uganda. *Asian Journal of Pregnancy and Childbirth.* 2023;6(1):203-11. <http://research.sdpublishers.net/id/eprint/2819/>.
55. Okorie HM, Obeagu EI, Eze EN, Jeremiah ZA. Assessment of coagulation parameters in malaria infected pregnant women in Imo state, Nigeria. *International Journal of Current Research in Medical Sciences.* 2018;4(9): 41-9. DOI: [10.22192/ijcrms.2018.04.09.006](https://doi.org/10.22192/ijcrms.2018.04.09.006)
56. Obeagu EI, Obeagu GU. Postpartum haemorrhage among women delivering through spontaneous vaginal delivery: Prevalence and risk factors. *Int. J. Curr. Res. Chem. Pharm. Sci.* 2023;10(8): 22-6. DOI: [10.22192/ijcrmps.2023.10.08.003](https://doi.org/10.22192/ijcrmps.2023.10.08.003)
57. Obeagu E, Eze RI, Obeagu EI, Nnatuanya IN, Dara EC. ZINC LEVEL IN APPARENTLY PREGNANT WOMEN IN URBAN AREA. *Madonna University journal of Medicine and Health Sciences.* 2022;2(1):134-48. <https://www.journal.madonnauniversity.edu.ng/index.php/medicine/article/view/40>.
58. Lappas M, Hiden U, Desoye G, Froehlich J, Mouzon SH, Jawerbaum A. The role of oxidative stress in the pathophysiology of gestational diabetes mellitus. *Antioxidants & redox signaling.* 2011;15(12):3061-100.

59. Ogomaka IA, Obeagu EI. Malaria in Pregnancy Amidst Possession of Insecticide Treated Bed Nets (ITNs) in Orlu LGA of Imo State, Nigeria. *Journal of Pharmaceutical Research International*. 2021;33(41B):380-6.
60. Obeagu EI, Ogunnaya FU, Obeagu GU, Ndidi AC. SICKLE CELL ANAEMIA: A GESTATIONAL ENIGMA. *migration*. 2023; 17:18.
61. Ifeanyi OE, Uzoma OG. A review on erythropoietin in pregnancy. *J. Gynecol. Womens Health*. 2018;8(3):1-4. [https://www.academia.edu/download/56538560/A\\_Review\\_on\\_Erythropoietin\\_in\\_Pregnancy.pdf](https://www.academia.edu/download/56538560/A_Review_on_Erythropoietin_in_Pregnancy.pdf).
62. Ifeanyi OE. A review on pregnancy and haematology. *Int. J. Curr. Res. Biol. Med*. 2018;3(5): 26-8. DOI: [10.22192/ijcrbm.2018.03.05.006](https://doi.org/10.22192/ijcrbm.2018.03.05.006)
63. Nwosu DC, Nwanjo HU, Obeagu EI, Ibebuikie JE, Ezeama MC. Ihekireh. Changes in liver enzymes and lipid profile of pregnant women with malaria in Owerri, Nigeria. *International Journal of Current Research and Academic Review*. 2015;3(5):376-83.
64. Ibebuikie JE, Ojie CA, Nwokike GI, Obeagu EI, Nwosu DC, Nwanjo HU, Agu GC, Ezenwuba CO, Nwagu SA, Akujuobi AU. Factors that influence women's utilization of primary health care services in Calabar Cross river state, Nigeria. *Int. J. Curr. Res. Chem. Pharm. Sci*. 2017;4(7):28-33.
65. Eze R, Ezeah GA, Obeagu EI, Omeje C, Nwakulite A. Evaluation of iron status and some haematological parameters of pregnant women in Enugu, South Eastern Nigeria. *World Journal of Pharmaceutical and Medical Research*. 2021;7(5):251-4.
66. Elemchukwu Q, Obeagu EI, Ochei KC. Prevalence of Anaemia among Pregnant Women in Braithwaite Memorial Specialist Hospital (BMSH) Port Harcourt. *IOSR Journal of Pharmacy and Biological Sciences*. 2014;9(5):59-64.
67. Akandinda M, Obeagu EI, Katonera MT. Non Governmental Organizations and Women's Health Empowerment in Uganda: A Review. *Asian Research Journal of Gynaecology and Obstetrics*. 2022 Dec 14;8(3):12-6.
68. Vidya S, Sunil Kumar Shango Patience Emmanuel Jakheng, Emmanuel Ifeanyi Obeagu, Emmanuel William Jakheng, Onyekachi Splendid Uwakwe, Gloria Chizoba Eze, and Getrude Uzoma Obeagu (2022). Occurrence of Chlamydial Infection Based on Clinical Symptoms and Clinical History among Pregnant Women Attending Clinics in Zaria Metropolis, Kaduna State, Nigeria. *International Journal of Research and Reports in Gynaecology*;5(3):98-105.
69. Gamde MS, Obeagu EI. IRON DEFICIENCY ANAEMIA: ENEMICAL TO PREGNANCY. *European Journal of Biomedical*. 2023;10(9):272-5. [links/64f63358827074313ffaae7b/IRON-DEFICIENCY-ANAEMIA-ENEMICAL-TO-PREGNANCY.pdf](https://doi.org/10.15406/ejbi.2023.10.00272).
70. Emeka-Obi OR, Ibeh NC, Obeagu EI, Okorie HM. Evaluation of levels of some inflammatory cytokines in preeclamptic women in owerri. *Journal of Pharmaceutical Research International*. 2021;33(42A):53-65.
71. Emeka-Obi OR, Ibeh NC, Obeagu EI, Okorie HM. Studies of Some Haemostatic Variables in Preeclamptic Women in Owerri, Imo State, Nigeria. *Journal of Pharmaceutical Research International*. 2021;33(42B):39-48.
72. Obeagu EI, Obeagu GU, Obiezu J, Ezeonwumelu C, Alum EU, Ugwu OP. Antioxidants and Pregnancy: Impact on Maternal and Fetal Health. *APPLIED SCIENCES (NIJBAS)*. 2023;4(1).
73. Obeagu EI, Obeagu GU. Postpartum haemorrhage among women delivering through spontaneous vaginal delivery: Prevalence and risk factors. *Int. J. Curr. Res. Chem. Pharm. Sci*. 2023;10(8):22-6.
74. Obeagu EI, Obeagu GU. Sickle Cell Anaemia in Pregnancy: A Review. *International Research in Medical and Health Sciences*. 2023 ;6(2):10-3.
75. Adwas AA, Elsayed A, Azab AE, Quwaydir FA. Oxidative stress and antioxidant mechanisms in human body. *J. Appl. Biotechnol. Bioeng*. 2019;6(1):43-7.
76. Marín R, Chiarello DI, Abad C, Rojas D, Toledo F, Sobrevia L. Oxidative stress and mitochondrial dysfunction in early-onset and late-onset preeclampsia. *Biochimica et Biophysica Acta (BBA)-Molecular Basis of Disease*. 2020;1866(12):165961.



**CITE AS: Emmanuel Ifeanyi Obeagu, Getrude Uzoma Obeagu, Okechukwu Paul-Chima Ugwu, Esther U. Alum and Jean Bosco Habimana (2024). The Role of Antioxidants in Improving Pregnancy Outcomes. IAA Journal of Applied Sciences 11(1):40-48. <https://doi.org/10.59298/IAAJAS/2024/5.58.33.11>**